DECLARATION OF PERFORMANCE

Baumit S screwed-in anchor Baumit N nailed-in anchor



DoP No.: 02-BAB-ETA-17/0078-INT

1. Unique identification code of the product type:

Baumit S screwed-in anchor Baumit N nailed-in anchor

- 2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4): refer to packaging / product label
- 3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specifications, as foreseen by the manufacturer:

Screwed-in and nailed-in anchor for fixing of external thermal insulation composite systems with rendering in concrete and masonry,

using category: A. B. C. D. E

Baumit S screwed-in anchor length: 115 – 295 mm Baumit N nailed-in anchor length: 95 – 295 mm

4. Name, registered trade name or registered trademark and contact address of the manufacturer as required pursuant to Article 11(5):

Baumit Beteiligungen GmbH, Wopfing 156 A-2754 Waldegg

- 5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):
- 6. System or systems of assessment and verification of constancy of performance of the construction product:

 System 2+ (ETAG 014)
- 7. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:
 - a. DIBt, Deutsches Institut für Bautechnik issued ETA-17/0078 on the basis of EAD 330196-01-0604.
 - b. The notified body MPA Stuttgart, Otto-Graf-Institut NB 0672 performed third party tasks under system 2+ and issued the certificate of factory production control number 0672-CPR-0689.

8. Declared Performance

| Essential characteristics | Performance | Harmonized technical specification |
|---------------------------------------|--------------------|------------------------------------|
| Characteristic tension resistance Nak | see ETA-17/0078 | EAD 330196-01-0604 |
| | annex C1, table C1 | |
| Displacement | see ETA-17/0078 | EAD 330196-01-0604 |
| | annex C2, table C4 | |
| Edge distances and spaces | see ETA 17/0078 | EAD 330196-01-0604 |
| | annex B2, table 2 | |
| Point thermal transmittance | see ETA-17/0078 | EOTA TR 25 |
| | annex C2, table C2 | |
| Plate stiffness | see ETA-17/0078 | EOTA TR 26 |
| | annex C2, table C3 | |

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

| Signed for and on behalf of the manufacture | r by: |
|---------------------------------------------------------|-----------------------------|
| DiplIng. Alexander Sieh; Head of Prod (name and fund | - S-AMINO |
| | Baumit Betelligungen GmbH |
| Waldegg, 28.06.2021 | A-2757 Waldegg, Wopfing 156 |
| (place and date of issue) | (signature) |