according to Regulation (EC) No. 1907/2006 (REACH)

STÜCKKALK - FEINKALK

Date of compilation: 01/23/2023

baumit.com

Version number: GHS 1.0 Replaces version of:

CAS number

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Identification of the substance Registration number (REACH)

Calcium oxide

01-2119475325-36-xxxx 01-2119666323-39-xxxx 01-2119862019-36-xxxx 01-2119976279-19-xxxx 01-2120034600-72-xxxx

Observe technical data sheet

Observe technical data sheet

1305-78-8

Mortar

Unique formula identifier (UFI)

UFI: substance; not relevant / delivery note

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Uses advised against

1.3 Details of the supplier of the safety data sheet

Baumit GmbH Wopfing 156 A-2754 Waldegg Austria

Telephone: +43 (0)501 888 0 e-mail: office@baumit.com

1.4 Emergency telephone number

Poison centre			
Country Name		Postal code/ city	Telephone
Austria	Vergiftungsinformationszentrale an der 1. Medizinischen Universitätsklinik 24h Notruf Mo-So	1090 Wien	+43 (0)1 4064 343-0

according to Regulation (EC) No. 1907/2006 (REACH)

STÜCKKALK - FEINKALK



Date of compilation: 01/23/2023

Version number: GHS 1.0 Replaces version of:

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.8R	8R specific target organ toxicity - single expos- ure (respiratory tract irritation)		STOT SE 3	H335

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word: danger
- Pictograms:

GHS05, GHS07



- Hazard statements:

H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

- Precautionary statements:

,	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P260	Do not breathe dust.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P501	Dispose of contents/container in accordance with local/regional/national/inter-
	national regulations.
	-

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

according to Regulation (EC) No. 1907/2006 (REACH)

STÜCKKALK - FEINKALK

Date of compilation: 01/23/2023

Version number: GHS 1.0 Replaces version of:

SECTION 3: Composition/information on ingredients

3.1	Substances	
	Name of substance	STÜCKKALK - FEINKALK
	Identifiers	
	REACH Reg. No	01-2119475325-36-xxxx 01-2119666323-39-xxxx 01-2119862019-36-xxxx 01-2119976279-19-xxxx 01-2120034600-72-xxxx
	CAS No	1305-78-8
	EC No	215-138-9
	Purity	≥95 %
	Molecular formula	CaO
	Molar mass	56.08 g/mol

SECTION 4: First aid measures

4.1 Description of first aid measures

- General notes

Avoid contact with skin and eyes. Avoid breathing dust. Prevent skin contact. In all cases of doubt, or when symptoms persist, seek medical advice.

- Following inhalation

In case of respiratory tract irritation, consult a physician.

- Following skin contact

Rinse skin with water/shower.

- Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

- Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a POISON CENTER.

4.2 Most important symptoms and effects, both acute and delayed

Risk of serious damage to eyes. Extended inhalation at levels above the occupational exposure limit values can cause irreversible damage to the lungs.

4.3 Indication of any immediate medical attention and special treatment needed

There is no additional information.



according to Regulation (EC) No. 1907/2006 (REACH)

STÜCKKALK - FEINKALK



Date of compilation: 01/23/2023

Version number: GHS 1.0 Replaces version of:

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media

Non-combustible.

- Unsuitable extinguishing media

Not relevant.

5.2 Special hazards arising from the substance or mixture

None. Not dust explosion capable. Non-combustible.

5.3 Advice for firefighters

Non-combustible.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

- For emergency responders

[In case of inadequate ventilation] wear respiratory protection.

6.2 Environmental precautions

Keep away from drains, surface and ground water (PH (value)) Disposal considerations: see section 13.

6.3 Methods and material for containment and cleaning up

- Advice on how to contain a spill

Collect spillage.

Use appropriate container to avoid environmental contamination. Wet clean or vacuum up solids. Don't use a brush or compressed air for cleaning surfaces or clothing.

- Advice on how to clean up a spill

Take up mechanically.

- Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

See also to sections 8 and 13 of the safety data sheet. Section 7.

according to Regulation (EC) No. 1907/2006 (REACH)

STÜCKKALK - FEINKALK



01/23/2023

Date of compilation:

Version number: GHS 1.0 Replaces version of:

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Recommendations

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

- Measures to prevent fire as well as aerosol and dust generation

Non-combustible.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room.

- Handling of incompatible substances or mixtures

Do not mix with other chemicals.

- Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink.

7.2 Conditions for safe storage, including any incompatibilities

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

Removal of dust deposits.

7.3 Specific end use(s)

See section 16 for a general overview.

according to Regulation (EC) No. 1907/2006 (REACH)

STÜCKKALK - FEINKALK



Date of compilation: 01/23/2023

Version number: GHS 1.0 Replaces version of:

ſ

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

Occup	Occupational exposure limit values (Workplace Exposure Limits)										
Coun- try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m ³]	Nota- tion	Sourc e
AT	biologically in- ert suspended solids		MAK		10		20 (60 min)			i	GKV
AT	biologically in- ert suspended solids		MAK		5		10 (60 min)			r	GKV
AT	calcium oxide	1305-78- 8	MAK		1				4 (5 min)	i	GKV
EU	calcium oxide	1305-78- 8	IOELV		1		4			r	2017/ 164/ EU

Notation

ceiling value is a limit value above which exposure should not occur inhalable fraction Ceiling-C

respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours TWA time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels								
Endpoint	dpoint Threshold Protection goal, level route of exposure		Used in	Exposure time				
DNEL	1 mg/m³	human, inhalatory	worker (industry)	chronic - local effects				
DNEL	4 mg/m ³	human, inhalatory	worker (industry)	acute - local effects				

Environmental values

Relevant	Relevant PNECs and other threshold levels								
Endpoint	Threshold level	Organism	Environmental com- partment	Exposure time					
PNEC	0.37 mg/l	aquatic organisms	freshwater	short-term (single in- stance)					
PNEC	0.24 mg/l	aquatic organisms	marine water	short-term (single in- stance)					

according to Regulation (EC) No. 1907/2006 (REACH)

STÜCKKALK - FEINKALK



Date of compilation: 01/23/2023

Version number: GHS 1.0 Replaces version of:

Relevant PNECs and other threshold levels							
Endpoint	oint Threshold Organism level		Environmental com- partment	Exposure time			
PNEC	2.27 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)			
PNEC	817.4 mg/kg	terrestrial organisms	soil	short-term (single in- stance)			

according to Regulation (EC) No. 1907/2006 (REACH)

STÜCKKALK - FEINKALK



Version number: GHS 1.0 Replaces version of:

8.2 Exposure controls

- Appropriate engineering controls

Use local and general ventilation

- Individual protection measures (personal protective equipment)



Wear eye/face protection



Wear protective gloves

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.



Safety footwear



Wear respiratory protection Filtering half mask (EN 149)

- Environmental exposure controls

Avoid release to the environment. Refer to special instructions/safety data sheets. Before discharge of the waste water into a municipal waste water treatment facility the product normally needs to be neutralised.

Date of compilation: 01/23/2023

according to Regulation (EC) No. 1907/2006 (REACH)

STÜCKKALK - FEINKALK



Date of compilation: 01/23/2023

Version number: GHS 1.0 Replaces version of:

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Colour	beige
Odour	characteristic
Melting point/freezing point	>450 °C
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	>400 °C (ECHA)
Decomposition temperature	not relevant
pH (value)	11.5 – 12.5 (in aqueous solution: 80 % (w/w), 20 °C) _(base)
Kinematic viscosity	not relevant

Solubility(ies)

Water solubility	956 mg/l at 20 °C	
Water Solubility	550 mg/1 dt 20 °C	

Partition coefficient

Partition coefficient n-octanol/water (log value)	not relevant (inorganic)
--	--------------------------

Va	pour pressure	not determined	

Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	no data available
--------------------------	-------------------

according to Regulation (EC) No. 1907/2006 (REACH)

STÜCKKALK - FEINKALK



Date of compilation: 01/23/2023

Version number: GHS 1.0 Replaces version of:

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	
Surface tension	72 mN/m (20 °C) (ECHA)
Solid content	100 %

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The product develops an alkaline pH value with moisture and can cause irritation. Reactivity with water.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure. See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Protect from moisture.

10.5 Incompatible materials

Acids.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.

according to Regulation (EC) No. 1907/2006 (REACH)

STÜCKKALK - FEINKALK



Date of compilation: 01/23/2023

Version number: GHS 1.0 Replaces version of:

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
 - Classification according to GHS (1272/2008/EC, CLP)

- Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed, in contact with skin or if inhaled.

- Skin corrosion/irritation

Causes skin irritation.

- Serious eye damage/eye irritation

Causes serious eye damage.

- Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

- Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

- Carcinogenicity

Shall not be classified as carcinogenic.

- Reproductive toxicity

Shall not be classified as a reproductive toxicant.

- Specific target organ toxicity - single exposure

May cause respiratory irritation.

- Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

- Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH)

STÜCKKALK - FEINKALK



01/23/2023

Date of compilation:

Version number: GHS 1.0 Replaces version of:

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

- **12.2 Persistence and degradability** Data are not available.
- **12.3 Bioaccumulative potential** Data are not available.
- **12.4 Mobility in soil** Data are not available.
- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** Not listed.
- 12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Wet clean or vacuum up solids.

- Waste codes/waste designations according to LoW:

10 13 04: Wastes from calcination and hydration of lime

- Schlüsselnummer nach nationaler Abfallverzeichnisverordnung (ÖNORM S2100)

92302: Düngekalk, Ätzkalk, Karbonatationskalk aus der Zuckerindustrie; Materialien, die nach der Kompostverordnung als Zuschlagstoff für die Herstellung von Qualitätskompost und Kompost geeignet sind.

- Waste treatment-relevant information

Recycling/reclamation of other inorganic materials.

- Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

- Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

- Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

according to Regulation (EC) No. 1907/2006 (REACH)

STÜCKKALK - FEINKALK



	n number: GHS 1.0 es version of:	Date of compilation: 01/23/2023	
SECT	ION 14: Transport information		
14.1	UN number or ID number		
	ICAO-TI	UN 1910	
14.2	UN proper shipping name		
	ICAO-TI	Calcium oxide	
14.3	Transport hazard class(es)		
	ΙCAO-ΤΙ	8	
14.4	Packing group		
	ΙCAO-ΤΙ	III	
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations	
14.6	Special precautions for user		
	There is no additional information.		
14.7	Maritime transport in bulk according to IMO instruments		
	The cargo is not intended to be carried in bulk.		
	Information for each of the UN Model Regulation	ons	
	- Transport of dangerous goods by road, rail an information	d inland waterway (ADR/RID/ADN) - Additional	
	Not subject to ADR, RID and ADN.		
	- International Maritime Dangerous Goods Code (IMDG) - Additional information		
	Not subject to IMDG.		
	- International Civil Aviation Organization (ICA	D-IATA/DGR) - Additional information	
	Danger label(s)	8	

×	
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg

according to Regulation (EC) No. 1907/2006 (REACH)

STÜCKKALK - FEINKALK



Date of compilation: 01/23/2023

Version number: GHS 1.0 Replaces version of:

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Relevant provisions of the European Union (EU)

- List of substances subject to authorisation (REACH, Annex XIV)

/ SVHC - candidate list

Not listed.

- Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

Not listed.

- Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Not listed.

Water Framework Directive (WFD)

Name of substance	Wt%
Calcium oxide	100

- Regulation on the marketing and use of explosives precursors

Not relevant.

- Regulation on persistent organic pollutants (POP)

Not listed.

- National regulations (Austria)
- Ordinance on combustible liquids (VbF)

Not applicable.

- National inventories

Country	Inventory	Status
EU	REACH Reg.	substance is listed

Legend

REACH Reg. REACH registered substances

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

according to Regulation (EC) No. 1907/2006 (REACH)

STÜCKKALK - FEINKALK



Date of compilation: 01/23/2023

Version number: GHS 1.0 Replaces version of:

Г

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2017/164/EU	Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the Interna- tional Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of sub- stances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" de- veloped by the United Nations
GKV	Grenzwerteverordnung
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IOELV	Indicative occupational exposure limit value
LoW	List of Wastes
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic

according to Regulation (EC) No. 1907/2006 (REACH)

STÜCKKALK - FEINKALK



Date of compilation: 01/23/2023

Version number: GHS 1.0 Replaces version of:

Abbr.	Descriptions of used abbreviations
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text	
H315	Causes skin irritation.	
H318	H318 Causes serious eye damage.	
H335	May cause respiratory irritation.	

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

End of safety data sheet.