according to Regulation (EC) No. 1907/2006 (REACH)

FEINPUTZ PERLAINTERIOR

Version number: GHS 2.0 Replaces version of: 02/03/2023 (GHS 1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name Registration number (REACH) Unique formula identifier (UFI)

FEINPUTZ PERLAINTERIOR

not relevant (mixture) UFI: XWNC-UKV3-A99M-4J6G as indicated on the label / delivery note

1.2Relevant identified uses of the substance or mixture and uses advised against
Relevant identified usesMortar

Uses advised against

Mortar Observe technical data sheet Observe technical data sheet

1.3 Details of the supplier of the safety data sheet

Baumit GmbH Wopfing 156 A-2754 Waldegg Austria

Telephone: +43 (0)501 888 0

This number is only available during office hours: Mon - Thu 07:00 AM - 05:00 PM Fri 07:00 AM - 12:00 PM

e-mail: office@baumit.com

1.4 Emergency telephone number

Poison centre			
Country	Name	Postal code/ city	Telephone
Austria	Vergiftungsinformationszentrale an der 1. Medizinischen Universitätsklinik 24h Notruf Mo-So	1090 Wien	+43 (0)1 4064 343-0



Revision:

02/15/2024

according to Regulation (EC) No. 1907/2006 (REACH)

FEINPUTZ PERLAINTERIOR



Revision: 02/15/2024

Version number: GHS 2.0 Replaces version of: 02/03/2023 (GHS 1)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word: danger
- Pictograms:
- GHS05



- Hazard statements:

H315	Causes skin irritation.
H318	Causes serious eye damage.

- Precautionary statements:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P260	Do not breathe dust.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P501	Dispose of contents/container in accordance with local/regional/national/inter-
	national regulations.

- Hazardous ingredients for labelling:

calcium dihydroxide, portland cement clinker (a)

2.3 Other hazards

Results of PBT and vPvB assessment


Does not contain a PBT-/vPvB-substance at a concentration of \ge 0,1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

according to Regulation (EC) No. 1907/2006 (REACH)

FEINPUTZ PERLAINTERIOR



SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture).

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
calcium dihydroxide	CAS No 1305-62-0 EC No 215-137-3 REACH Reg. No 01-2119475151- 45-xxxx 01-2119862018- 38-xxxx	10 - < 20	Skin Irrit. 2 / H315 Eye Dam. 1 / H318 STOT SE 3 / H335	
portland cement clinker (a)	CAS No 65997-15-1 EC No 266-043-4	3-<5	Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Skin Sens. 1 / H317 STOT SE 3 / H335	

Remarks

(a) Portland Cement Clinker is exempt from registration under Article 2.7 (b) and Annex V.10 of Regulation (EC) No 1907/2006 (REACH). C&L notification No. 02-2119682167-31-0000 (Notification update of July 1, 2013 - Submission of Report No. QJ420702-40). Cement containing mixture for which the amount of chromium VI was decreased to < 0,0002 % by a reduction agent (related to the total dry weight). For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures

- General notes

Avoid contact with skin and eyes.

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Avoid breathing dust. Prevent skin contact.

In all cases of doubt, or when symptoms persist, seek medical advice.

- Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air. In case of respiratory tract irritation, consult a physician.

- Following skin contact

Rinse skin with water/shower.

In all cases of doubt, or when symptoms persist, seek medical advice.



Revision: 02/15/2024

according to Regulation (EC) No. 1907/2006 (REACH)

FEINPUTZ PERLAINTERIOR

Version number: GHS 2.0 Replaces version of: 02/03/2023 (GHS 1)

- Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

- Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a POISON CENTER.

4.2 Most important symptoms and effects, both acute and delayed

Risk of serious damage to eyes. Extended inhalation at levels above the occupational exposure limit values can cause irreversible damage to the lungs.

4.3 Indication of any immediate medical attention and special treatment needed

There is no additional information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media

Water. Foam. ABC-powder. Non-combustible.

- Unsuitable extinguishing media

Water jet. Not relevant.

5.2 Special hazards arising from the substance or mixture

Not dust explosion capable. Non-combustible.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel

Remove persons to safety.

- For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water (PH (value)) Retain contaminated washing water and dispose of it.



Revision:

02/15/2024

according to Regulation (EC) No. 1907/2006 (REACH)

FEINPUTZ PERLAINTERIOR

Version number: GHS 2.0 Replaces version of: 02/03/2023 (GHS 1)

6.3 Methods and material for containment and cleaning up

- Advice on how to contain a spill

Covering of drains. Take up mechanically. Collect spillage. Use appropriate container to avoid environmental contamination. Wet clean or vacuum up solids. Don't use a brush or compressed air for cleaning surfaces or clothing.

- Advice on how to clean up a spill

Take up mechanically.

- Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13. Section 7.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Recommendations

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment. Non-combustible.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

- Handling of incompatible substances or mixtures

Do not mix with acids.

- Advice on general occupational hygiene

Wash hands after use.

Do not eat, drink and smoke in work areas.

Remove contaminated clothing and protective equipment before entering eating areas.

Never keep food or drink in the vicinity of chemicals.

Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

Removal of dust deposits.

7.3 Specific end use(s)

See section 16 for a general overview.



Revision: 02/15/2024

according to Regulation (EC) No. 1907/2006 (REACH)

FEINPUTZ PERLAINTERIOR



Revision: 02/15/2024

Version number: GHS 2.0 Replaces version of: 02/03/2023 (GHS 1)

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

ſ

Occu	Occupational exposure limit values (Workplace Exposure Limits)										
Coun- try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m ³]	Nota- tion	Sourc e
AT	biologically in- ert suspended solids		MAK		10		20 (60 min)			i	GKV
AT	biologically in- ert suspended solids		MAK		5		10 (60 min)			r	GKV
AT	calcium di- hydroxide	1305-62- 0	MAK		1				4 (5 min)	i	GKV
AT	portland ce- ment	65997- 15-1	MAK		5					i, dust	GKV
EU	calcium di- hydroxide	1305-62- 0	IOELV		1		4			r	2017/ 164/ EU

Notation

i

ceiling value is a limit value above which exposure should not occur as dust inhalable fraction Ceiling-C

dust

Inhalable fraction respirable fraction short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute peri-od (unless otherwise specified) time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) STEL TWA

Relevant DNELs of components							
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time	
calcium dihydrox- ide	1305-62-0	DNEL	1 mg/m ³	human, inhalat- ory	worker (in- dustry)	chronic - local effects	
calcium dihydrox- ide	1305-62-0	DNEL	4 mg/m ³	human, inhalat- ory	worker (in- dustry)	acute - local ef- fects	

Relevant PNECs of components							
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time	
calcium dihydrox- ide	1305-62-0	PNEC	0.49 mg/ I	aquatic organ- isms	freshwater	short-term (single instance)	

according to Regulation (EC) No. 1907/2006 (REACH)

FEINPUTZ PERLAINTERIOR



Revision: 02/15/2024

Version number: GHS 2.0 Replaces version of: 02/03/2023 (GHS 1)

Г

Relevant PNECs of components							
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time	
calcium dihydrox- ide	1305-62-0	PNEC	0.32 mg/ I	aquatic organ- isms	marine water	short-term (single instance)	
calcium dihydrox- ide	1305-62-0	PNEC	3 mg/l	aquatic organ- isms	sewage treat- ment plant (STP)	short-term (single instance)	
calcium dihydrox- ide	1305-62-0	PNEC	1,080 mg/kg	terrestrial or- ganisms	soil	short-term (single instance)	

according to Regulation (EC) No. 1907/2006 (REACH)

FEINPUTZ PERLAINTERIOR

Version number: GHS 2.0 Replaces version of: 02/03/2023 (GHS 1)

8.2 Exposure controls

- Appropriate engineering controls

Use local and general ventilation

- Individual protection measures (personal protective equipment)



Wear eye/face protection



Wear protective gloves

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.



Safety footwear



Wear respiratory protection Filtering half mask (EN 149)

- Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.



Revision: 02/15/2024

according to Regulation (EC) No. 1907/2006 (REACH)

FEINPUTZ PERLAINTERIOR



Revision: 02/15/2024

Version number: GHS 2.0 Replaces version of: 02/03/2023 (GHS 1)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid (powder)
Form	powder
Colour	white
Odour	odourless
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	>400 °C
Decomposition temperature	not relevant
pH (value)	12 – 13 (in aqueous solution: 80 % (w/w), 20 °C) (base)
Kinematic viscosity	not relevant
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log	this information is not available
value)	

Vapour pressure	not determined
-----------------	----------------

Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	no data available
--------------------------	-------------------

according to Regulation (EC) No. 1907/2006 (REACH)

FEINPUTZ PERLAINTERIOR



Revision: 02/15/2024

Version number: GHS 2.0 Replaces version of: 02/03/2023 (GHS 1)

9.2 Other information

9.2. 1	Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant	
9.2.2	9.2.2 Other safety characteristics		
	Liquid content	0 %	

100 %

Solid content

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The product develops an alkaline pH value with moisture and can cause irritation.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Protect from moisture.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

according to Regulation (EC) No. 1907/2006 (REACH)

FEINPUTZ PERLAINTERIOR

Version number: GHS 2.0 Replaces version of: 02/03/2023 (GHS 1)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

- Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

- Classification according to GHS (1272/2008/EC, CLP)

- Acute toxicity

Shall not be classified as acutely toxic.

- Skin corrosion/irritation

Causes skin irritation.

- Serious eye damage/eye irritation

Causes serious eye damage.

- Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

- Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

- Carcinogenicity

Shall not be classified as carcinogenic.

- Reproductive toxicity

Shall not be classified as a reproductive toxicant.

- Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

- Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

- Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.



Revision:

02/15/2024

according to Regulation (EC) No. 1907/2006 (REACH)

FEINPUTZ PERLAINTERIOR

Version number: GHS 2.0 Replaces version of: 02/03/2023 (GHS 1)

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

- **12.2 Persistence and degradability** Data are not available.
- **12.3 Bioaccumulative potential** Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance at a concentration of \geq 0,1%.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Wet clean or vacuum up solids.

- Waste codes/waste designations according to LoW:

10 13 14: Waste concrete and concrete sludge

17 01 01: Concrete

15 01 10*: Packaging containing residues of or contaminated by hazardous substances.

*Hazardous waste

- Key number according to national waste list directive (ÖNORM S2100):

31607: Schlamm aus Fertigmörtelherstellung (verfestigt)

- Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

- Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

- Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

02/15/2024



according to Regulation (EC) No. 1907/2006 (REACH)

FEINPUTZ PERLAINTERIOR

Version number: GHS 2.0 Replaces version of: 02/03/2023 (GHS 1)

SECTION 14: Transport information

14.1 UN number or ID number

- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

not assigned

not assigned

none

not assigned

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

- Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Not assigned.

- International Maritime Dangerous Goods Code (IMDG) - Additional information Not assigned.

- International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not assigned.



Revision: 02/15/2024

according to Regulation (EC) No. 1907/2006 (REACH)

FEINPUTZ PERLAINTERIOR

Version number: GHS 2.0 Replaces version of: 02/03/2023 (GHS 1)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Relevant provisions of the European Union (EU)

- Restrictions according to REACH, Annex XVII

Name of substance	Name acc. to inventory	No
portland cement clinker (a)	chromium(VI) compounds	47

- List of substances subject to authorisation (REACH, Annex XIV)

/ SVHC - candidate list

None of the ingredients are listed.

- Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

None of the ingredients are listed.

- Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

Water Framework Directive (WFD)

Name of substance	Wt%
calcium dihydroxide	14.5

- Regulation on the marketing and use of explosives precursors

Not relevant.

- Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

- National regulations (Austria)
- Ordinance on combustible liquids (VbF)

not applicable (physical state: not liquid)

- National inventories

Cou	ntry	Inventory	Status
E	U	REACH Reg.	not all ingredients are listed

Legend

REACH Reg. REACH registered substances

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.



according to Regulation (EC) No. 1907/2006 (REACH)

FEINPUTZ PERLAINTERIOR

Version number: GHS 2.0 Replaces version of: 02/03/2023 (GHS 1)

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety -relev- ant
1.1	Unique formula identifier (UFI): UFI: VFQE-79CD-P999-AQJV as indicated on the label / delivery note	Unique formula identifier (UFI): UFI: XWNC-UKV3-A99M-4J6G as indicated on the label / delivery note	yes
1.3	Details of the supplier of the safety data sheet: Baumit GmbH Wopfing 156 A-2754 Waldegg Austria	Details of the supplier of the safety data sheet: Baumit GmbH Wopfing 156 A-2754 Waldegg Austria	yes
	Telephone: +43 (0)501 888 0 e-mail: office@baumit.com	Telephone: +43 (0)501 888 0 This number is only available during office hours: Mon - Thu 07:00 AM - 05:00 PM Fri 07:00 AM - 12:00 PM	
		e-mail: office@baumit.com	
2.2	- Hazardous ingredients for labelling: Calciumdihydroxid Ca(OH)₂, Portland cement clinker (a)	- Hazardous ingredients for labelling: calcium dihydroxide, portland cement clinker (a)	yes
2.3	Other hazards: Of no significance.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-sub- stance at a concentration of \ge 0,1%.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine dis- ruptor (ED) at a concentration of ≥ 0,1%.	yes
3.2		Description of the mixture: change in the listing (table)	yes



Revision: 02/15/2024

according to Regulation (EC) No. 1907/2006 (REACH)

FEINPUTZ PERLAINTERIOR



Revision: 02/15/2024

Section	Former entry (text/value)	Actual entry (text/value)	Safety -relev- ant
3.2		Remarks: (a) Portland Cement Clinker is exempt from registration under Article 2.7 (b) and Annex V.10 of Regulation (EC) No 1907/2006 (REACH). C&L notification No. 02-2119682167-31-0000 (Notifica- tion update of July 1, 2013 - Submis- sion of Report No. QJ420702-40). Ce- ment containing mixture for which the amount of chromium VI was de- creased to < 0,0002 % by a reduction agent (related to the total dry weight). For full text of abbreviations: see SEC- TION 16	yes
4.1	- General notes: Avoid contact with skin and eyes. Avoid breathing dust. Prevent skin contact. In all cases of doubt, or when symp- toms persist, seek medical advice.	- General notes: Avoid contact with skin and eyes. Do not leave affected person unatten- ded. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In case of un- consciousness place person in the re- covery position. Never give anything by mouth. Avoid breathing dust. Prevent skin contact. In all cases of doubt, or when symp- toms persist, seek medical advice.	yes
4.1	- Following inhalation: Provide fresh air. In case of respirat- ory tract irritation, consult a physician.	- Following inhalation: If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air. In case of respiratory tract irritation, consult a physician.	yes
5.1	- Suitable extinguishing media: Non-combustible.	- Suitable extinguishing media: Water. Foam. ABC-powder. Non- combustible.	yes
5.1	- Unsuitable extinguishing media: Not relevant.	- Unsuitable extinguishing media: Water jet. Not relevant.	yes
5.2	Special hazards arising from the sub- stance or mixture: None. Not dust explosion capable. Non-combustible.	Special hazards arising from the sub- stance or mixture: Not dust explosion capable. Non-combustible.	yes

according to Regulation (EC) No. 1907/2006 (REACH)

FEINPUTZ PERLAINTERIOR



Revision: 02/15/2024

Section	Former entry (text/value)	Actual entry (text/value)	Safety -relev- ant
5.3	Advice for firefighters: Non-combustible.	Advice for firefighters: In case of fire and/or explosion do not breathe fumes. Co-ordinate firefight- ing measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water sep- arately. Fight fire with normal precau- tions from a reasonable distance.	yes
6.1	- For non-emergency personnel: Wearing of suitable protective equip- ment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.	- For non-emergency personnel: Remove persons to safety.	yes
6.1	- For emergency responders: [In case of inadequate ventilation] wear respiratory protection.	- For emergency responders: Wear breathing apparatus if exposed to vapours/dust/spray/gases.	yes
6.2	Environmental precautions: Keep away from drains, surface and ground water (PH (value)) Disposal considerations: see section 13.	Environmental precautions: Keep away from drains, surface and ground water (PH (value)) Retain contaminated washing water and dispose of it.	yes
6.3	- Advice on how to contain a spill: Collect spillage. Use appropriate container to avoid environmental contamination. Wet clean or vacuum up solids. Don't use a brush or compressed air for cleaning surfaces or clothing.	 Advice on how to contain a spill: Covering of drains. Take up mechan- ically. Collect spillage. Use appropriate container to avoid environmental contamination. Wet clean or vacuum up solids. Don't use a brush or compressed air for cleaning surfaces or clothing. 	yes
6.3	- Other information relating to spills and releases: Place in appropriate containers for disposal.	- Other information relating to spills and releases: Place in appropriate containers for disposal. Ventilate affected area.	yes
6.4	Reference to other sections: See also to sections 8 and 13 of the safety data sheet. Section 7.	Reference to other sections: Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13. Section 7.	yes

according to Regulation (EC) No. 1907/2006 (REACH)

FEINPUTZ PERLAINTERIOR



Revision: 02/15/2024

Section	Former entry (text/value)	Actual entry (text/value)	Safety -relev- ant
7.1	- Measures to prevent fire as well as aerosol and dust generation: Non-combustible.	- Measures to prevent fire as well as aerosol and dust generation: Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-vent- ilated areas. Ground/bond container and receiving equipment. Non-com- bustible.	yes
7.1	Specific notes/details: Dust deposits may accumulate on all deposition surfaces in a technical room.	Specific notes/details: Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.	yes
7.1	- Handling of incompatible sub- stances or mixtures: Do not mix with other chemicals.	- Handling of incompatible sub- stances or mixtures: Do not mix with acids.	yes
7.1	 Advice on general occupational hygiene: Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. 	 Advice on general occupational hygiene: Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs. 	yes
8.1		Relevant DNELs of components: change in the listing (table)	yes
8.1		Relevant PNECs of components: change in the listing (table)	yes
8.2	- Environmental exposure controls: Avoid release to the environment. Refer to special instructions/safety data sheets. Before discharge of the waste water into a municipal waste water treatment facility the product normally needs to be neutralised.	- Environmental exposure controls: Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.	yes
9.1		Form: powder	yes

according to Regulation (EC) No. 1907/2006 (REACH)

FEINPUTZ PERLAINTERIOR



Revision: 02/15/2024

Costion		Actual antry (tayt/yalua)	Cofoty
Section	Former entry (text/value)	Actual entry (text/value)	Safety -relev- ant
10.1	Reactivity: Concerning incompatibility: see below "Conditions to avoid" and "Incompat- ible materials". The product develops an alkaline pH value with moisture and can cause irritation. Reactivity with water.	Reactivity: Concerning incompatibility: see below "Conditions to avoid" and "Incompat- ible materials". The product develops an alkaline pH value with moisture and can cause irritation.	yes
10.2	Chemical stability: The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure. See below "Conditions to avoid".	Chemical stability: See below "Conditions to avoid".	yes
10.5	Incompatible materials: Acids.	Incompatible materials: There is no additional information.	yes
10.6	Hazardous decomposition products: Reasonably anticipated hazardous de- composition products produced as a result of use, storage, spill and heat- ing are not known.	Hazardous decomposition products: Reasonably anticipated hazardous de- composition products produced as a result of use, storage, spill and heat- ing are not known. Hazardous com- bustion products: see section 5.	yes
12.5	Results of PBT and vPvB assessment: Data are not available.	Results of PBT and vPvB assessment: According to the results of its assess- ment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB- substance at a concentration of \geq 0,1%.	yes
12.6	Endocrine disrupting properties: None of the ingredients are listed.	Endocrine disrupting properties: Does not contain an endocrine dis- ruptor (ED) at a concentration of ≥ 0,1%.	yes
13.1	- Waste codes/waste designations ac- cording to LoW: 10 13 14: Waste concrete and con- crete sludge 17 01 01: Concrete	- Waste codes/waste designations ac- cording to LoW: 10 13 14: Waste concrete and con- crete sludge 17 01 01: Concrete 15 01 10*: Packaging containing residues of or contaminated by haz- ardous substances. *Hazardous waste	yes
13.1	- Schlüsselnummer nach nationaler Abfallverzeichnisverordnung (ÖNORM S2100): 31607: Schlamm aus der Fertigmörtelherstellung (verfestigt)	- Key number according to national waste list directive (ÖNORM S2100): 31607: Schlamm aus Fertigmörtelherstellung (verfestigt)	yes
14.3	Transport hazard class(es): not assigned	Transport hazard class(es): none	yes

according to Regulation (EC) No. 1907/2006 (REACH)

FEINPUTZ PERLAINTERIOR



Revision: 02/15/2024

Version number: GHS 2.0 Replaces version of: 02/03/2023 (GHS 1)

Section	Former entry (text/value)	Actual entry (text/value)	Safety -relev- ant
15.1		Water Framework Directive (WFD): change in the listing (table)	yes
15.1	- Ordinance on combustible liquids (VbF): Not applicable.	- Ordinance on combustible liquids (VbF): not applicable (physical state: not li- quid)	yes
16		Abbreviations and acronyms: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2017/164/EU	Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the Interna- tional Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of sub- stances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" de- veloped by the United Nations

according to Regulation (EC) No. 1907/2006 (REACH)

FEINPUTZ PERLAINTERIOR



Revision: 02/15/2024

Version number: GHS 2.0 Replaces version of: 02/03/2023 (GHS 1)

Abbr.	Descriptions of used abbreviations
GKV	Grenzwerteverordnung
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
IOELV	Indicative occupational exposure limit value
LoW	List of Wastes
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

according to Regulation (EC) No. 1907/2006 (REACH)

FEINPUTZ PERLAINTERIOR



Revision: 02/15/2024

Version number: GHS 2.0 Replaces version of: 02/03/2023 (GHS 1)

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

End of safety data sheet.