

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



STARTOP (alle Strukturen)

Version number: GHS 5.0
Replaces version of: 02/23/2022 (GHS 4)

Revision
12/20/2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name STARTOP (alle Strukturen)
Registration number (REACH) not relevant (mixture)
Unique formula identifier (UFI) UFI: nicht zutreffend

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Paint, coating and lacquer
Observe technical data sheet
Uses advised against Observe technical data sheet

1.3 Details of the supplier of the safety data sheet

Baumit GmbH
Wopfing 156
A-2754 Waldegg
Austria

Telephone: +43 (0)501 888 0

This number is only available during office hours: Mon - Thu 07:00 AM - 05:00 PM
Fri 07:00 AM - 12:00 PM

e-mail: office@baumit.com

e-mail (competent person) office@baumit.com

1.4 Emergency telephone number

| Poison centre | | | |
|---------------|---|----------------------|---------------------|
| Country | Name | Postal code/ city | Telephone |
| Austria | Vergiftungsinformationszentrale an der 1. Medizinischen Universitätsklinik 24h Notruf Mo-So | 1090 Wien | +43 (0)1 4064 343-0 |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



STARTOP (alle Strukturen)

Version number: GHS 5.0
Replaces version of: 02/23/2022 (GHS 4)

Revision
12/20/2022

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Cat-egory | Hazard class and category | Hazard statement |
|---------|---|-----------|---------------------------|------------------|
| 4.1C | hazardous to the aquatic environment - chronic hazard | 3 | Aquatic Chronic 3 | H412 |

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word not required

- Pictograms not required

- Hazard statements

H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P260 Do not breathe spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Supplemental hazard information

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one, 2-Octyl-2H-isothiazol-3-on. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



baumit.com

STARTOP (alle Strukturen)

Version number: GHS 5.0
Replaces version of: 02/23/2022 (GHS 4)

Revision
12/20/2022

- Biocidal Products Regulation (BPR)

Contains:

| Biocidal active substances |
|---|
| Name of substance |
| 1,2-benzisothiazol-3(2H)-one |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one |
| Terbutryn |
| 2-Octyl-2H-isothiazol-3-on |
| Zinc oxide |

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture).

3.2 Mixtures

Description of the mixture:

| Name of substance | Identifier | Wt% | Classification acc. to GHS | Pictograms |
|------------------------------|---|------------------|---|------------|
| quartz powder | CAS No 68855-54-9 EC No 310-127-6 272-489-0 REACH Reg. No 01-2119488518- 22-xxxx | 5 – < 10 | STOT RE 2 / H373 | |
| 1,2-benzisothiazol-3(2H)-one | CAS No 2634-33-5 EC No 220-120-9 Index No 613-088-00-6 REACH Reg. No 01-2120761540- 60-xxxx | 0.0015 – < 0.015 | Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Skin Sens. 1 / H317 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411 | |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



STARTOP (alle Strukturen)

Version number: GHS 5.0
Replaces version of: 02/23/2022 (GHS 4)

Revision
12/20/2022

| Name of substance | Identifier | Wt% | Classification acc. to GHS | Pictograms |
|---|--|------------------|--|------------|
| Terbutryn | CAS No 886-50-0 | 0.0015 – < 0.015 | Acute Tox. 4 / H302 Skin Sens. 1B / H317 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410 | |
| 2-Octyl-2H-isothiazol-3-on | CAS No 26530-20-1 EC No 247-761-7 Index No 613-112-00-5 REACH Reg. No 01-2120768921-45-xxxx | 0.0015 – < 0.015 | Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 2 / H330 Skin Corr. 1 / H314 Eye Dam. 1 / H318 Skin Sens. 1A / H317 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410 | |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | CAS No 55965-84-9 Index No 613-167-00-5 REACH Reg. No 01-2120764691-48-xxxx | < 0.001 | Acute Tox. 3 / H301 Acute Tox. 2 / H310 Acute Tox. 2 / H330 Skin Corr. 1C / H314 Eye Dam. 1 / H318 Skin Sens. 1A / H317 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410 | |

| Name of substance | Specific Conc. Limits | M-Factors | ATE | Exposure route |
|---|---|--|---|---|
| 1,2-benzisothiazol-3(2H)-one | Skin Sens. 1; H317: C ≥ 0.05 % | - | 670 mg/kg | oral |
| Terbutryn | - | M-factor (acute) = 100 M-factor (chronic) = 100 | 500 mg/kg | oral |
| 2-Octyl-2H-isothiazol-3-on | Skin Sens. 1A; H317: C ≥ 0.0015 % | M-factor (acute) = 100 M-factor (chronic) = 100 | 125 mg/kg 300 mg/kg 0.5 mg/l/ 4h 0.27 mg/l/ 4h | oral dermal inhalation: vapour inhalation: dust/ mist |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 % | M-factor (acute) = 100 M-factor (chronic) = 100 | 100 mg/kg 50 mg/kg 0.5 mg/l/ 4h 0.05 mg/l/ 4h | oral dermal inhalation: vapour inhalation: dust/ mist |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



STARTOP (alle Strukturen)

Version number: GHS 5.0
Replaces version of: 02/23/2022 (GHS 4)

Revision
12/20/2022

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

None.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



STARTOP (alle Strukturen)

Version number: GHS 5.0
Replaces version of: 02/23/2022 (GHS 4)

Revision
12/20/2022

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes, Co-ordinate firefighting measures to the fire surroundings, Do not allow firefighting water to enter drains or water courses, Collect contaminated firefighting water separately, Fight fire with normal precautions from a reasonable distance

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: Sawdust, Kieselgur (diatomite), Sand, Universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



STARTOP (alle Strukturen)

Version number: GHS 5.0
Replaces version of: 02/23/2022 (GHS 4)

Revision
12/20/2022

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

- Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of effects

Protect against external exposure, such as

frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Occupational exposure limit values (Workplace Exposure Limits) | | | | | | | | | | | |
|--|--|------------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|----------|--------|
| Country | Name of agent | CAS No | Identifier | TWA [ppm] | TWA [mg/m ³] | STEL [ppm] | STEL [mg/m ³] | Ceiling-C [ppm] | Ceiling-C [mg/m ³] | Notation | Source |
| AT | 2-octyl-2H-isothiazol-3-one | 26530-20-1 | MAK | | 0.05 | | | | 0.05 | i, H | GKV |
| AT | reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | 55965-84-9 | MAK | | 0.05 | | | | | | GKV |
| AT | Silica, amorphous - silica fume, calcined diatomaceous earth | 68855-54-9 | MAK | | 0.3 | | | | | r | GKV |

Notation

Ceiling-C

H

i

r

STEL

ceiling value is a limit value above which exposure should not occur

absorbed through the skin

inhalable fraction

respirable fraction

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



baumit.com

STARTOP (alle Strukturen)

Version number: GHS 5.0
Replaces version of: 02/23/2022 (GHS 4)

Revision
12/20/2022

Notation

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours
time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

| Name of substance | CAS No | End-point | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
|---|------------|-----------|------------------------|------------------------------------|-------------------|----------------------------|
| quartz powder | 68855-54-9 | DNEL | 0.05 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | DNEL | 6.81 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | DNEL | 0.966 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | DNEL | 0.02 mg/m ³ | human, inhalatory | worker (industry) | chronic - local effects |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | DNEL | 0.04 mg/m ³ | human, inhalatory | worker (industry) | acute - local effects |

Relevant PNECs of components of the mixture

| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
|------------------------------|------------|-----------|-----------------|-----------------------|------------------------------|------------------------------|
| quartz powder | 68855-54-9 | PNEC | 100 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | PNEC | 4.03 µg/l | aquatic organisms | freshwater | short-term (single instance) |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | PNEC | 0.403 µg/l | aquatic organisms | marine water | short-term (single instance) |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | PNEC | 1.03 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | PNEC | 49.9 µg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | PNEC | 4.99 µg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | PNEC | 3 mg/kg | terrestrial organisms | soil | short-term (single instance) |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



baumit.com

STARTOP (alle Strukturen)

Version number: GHS 5.0
Replaces version of: 02/23/2022 (GHS 4)

Revision
12/20/2022

| Relevant PNECs of components of the mixture | | | | | | |
|---|------------|-----------|-----------------|-----------------------|------------------------------|------------------------------|
| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
| 2-Octyl-2H-isothiazol-3-on | 26530-20-1 | PNEC | 2.2 µg/l | aquatic organisms | freshwater | short-term (single instance) |
| 2-Octyl-2H-isothiazol-3-on | 26530-20-1 | PNEC | 0.22 µg/l | aquatic organisms | marine water | short-term (single instance) |
| 2-Octyl-2H-isothiazol-3-on | 26530-20-1 | PNEC | 47.5 µg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| 2-Octyl-2H-isothiazol-3-on | 26530-20-1 | PNEC | 4.75 µg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| 2-Octyl-2H-isothiazol-3-on | 26530-20-1 | PNEC | 8.2 µg/kg | terrestrial organisms | soil | short-term (single instance) |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | PNEC | 3.39 µg/l | aquatic organisms | freshwater | short-term (single instance) |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | PNEC | 3.39 µg/l | aquatic organisms | marine water | short-term (single instance) |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | PNEC | 0.23 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | PNEC | 0.027 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | PNEC | 0.027 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



STARTOP (alle Strukturen)

Version number: GHS 5.0
Replaces version of: 02/23/2022 (GHS 4)

Revision
12/20/2022

| Relevant PNECs of components of the mixture | | | | | | |
|---|------------|-----------|-----------------|-----------------------|---------------------------|------------------------------|
| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | PNEC | 0.01 mg/kg | terrestrial organisms | soil | short-term (single instance) |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



baunit.com

STARTOP (alle Strukturen)

Version number: GHS 5.0
Replaces version of: 02/23/2022 (GHS 4)

Revision
12/20/2022

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Eye/face protection



Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



STARTOP (alle Strukturen)

Version number: GHS 5.0
Replaces version of: 02/23/2022 (GHS 4)

Revision
12/20/2022

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|---|-------------------|
| Physical state | liquid (paste) |
| Colour | white - different |
| Odour | characteristic |
| Melting point/freezing point | not determined |
| Boiling point or initial boiling point and boiling range | 100 °C |
| Flammability | non-combustible |
| Lower and upper explosion limit | not determined |
| Flash point | not determined |
| Auto-ignition temperature | not determined |
| Decomposition temperature | not relevant |
| pH (value) | 8.5 – 9.5 |
| Kinematic viscosity | not determined |

Solubility(ies)

| | |
|-------------------------|----------------------------|
| Water solubility | miscible in any proportion |
|-------------------------|----------------------------|

Partition coefficient

| | |
|--|-----------------------------------|
| Partition coefficient n-octanol/water (log value) | this information is not available |
|--|-----------------------------------|

| | |
|------------------------|-----------------|
| Vapour pressure | 32 hPa at 25 °C |
|------------------------|-----------------|

Density and/or relative density

| | |
|--------------------------------|---|
| Density | 1,620 – 1,980 g/l |
| Relative vapour density | information on this property is not available |

| | |
|---------------------------------|-----------------------|
| Particle characteristics | not relevant (liquid) |
|---------------------------------|-----------------------|

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



STARTOP (alle Strukturen)

Version number: GHS 5.0
Replaces version of: 02/23/2022 (GHS 4)

Revision
12/20/2022

9.2 Other information

| | |
|---|--|
| Information with regard to physical hazard classes | hazard classes acc. to GHS (physical hazards): not relevant |
|---|--|

Other safety characteristics

| | |
|--------------------|---------------------------------|
| Miscibility | Completely miscible with water. |
|--------------------|---------------------------------|

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

| Acute toxicity estimate (ATE) of components of the mixture | | | |
|---|---------------|-----------------------|------------|
| Name of substance | CAS No | Exposure route | ATE |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | oral | 670 mg/kg |
| Terbutryn | 886-50-0 | oral | 500 mg/kg |
| 2-Octyl-2H-isothiazol-3-on | 26530-20-1 | oral | 125 mg/kg |
| 2-Octyl-2H-isothiazol-3-on | 26530-20-1 | dermal | 300 mg/kg |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



STARTOP (alle Strukturen)

Version number: GHS 5.0
Replaces version of: 02/23/2022 (GHS 4)

Revision
12/20/2022

| Acute toxicity estimate (ATE) of components of the mixture | | | |
|---|------------|-----------------------|--------------|
| Name of substance | CAS No | Exposure route | ATE |
| 2-Octyl-2H-isothiazol-3-on | 26530-20-1 | inhalation: vapour | 0.5 mg/l/4h |
| 2-Octyl-2H-isothiazol-3-on | 26530-20-1 | inhalation: dust/mist | 0.27 mg/l/4h |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | oral | 100 mg/kg |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | dermal | 50 mg/kg |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | inhalation: vapour | 0.5 mg/l/4h |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | inhalation: dust/mist | 0.05 mg/l/4h |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Contains 1,2-benzisothiazol-3(2H)-one, Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one, 2-Octyl-2H-isothiazol-3-on. May produce an allergic reaction

Classification Octylisothiazolinone:

Not skin sensitising based on results on similar mixtures tested using transfer principles according to CLP Regulation Article 9 (4); OECD 429 LLNA (mouse) - Not skin sensitising - S4565 / S4568 / S5145 / S5147.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



STARTOP (alle Strukturen)

Version number: GHS 5.0
Replaces version of: 02/23/2022 (GHS 4)

Revision
12/20/2022

11.2 Information on other hazards

There is no additional information.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



STARTOP (alle Strukturen)

Version number: GHS 5.0
Replaces version of: 02/23/2022 (GHS 4)

Revision
12/20/2022

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

| Aquatic toxicity (chronic) of components of the mixture | | | | | |
|---|------------|----------|-------------|-----------------------|---------------|
| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
| quartz powder | 68855-54-9 | EC50 | >1,000 mg/l | microorganisms | 3 h |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | EC50 | 13 mg/l | microorganisms | 3 h |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | LC50 | 0.07 mg/l | fish | 14 d |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | EC50 | >0.18 mg/l | aquatic invertebrates | 21 d |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | ErC50 | 45.6 µg/l | algae | 120 h |

12.2 Persistence and degradability

| Degradability of components of the mixture | | | | | | |
|---|------------|---------------------------|------------------|------|--------|--------|
| Name of substance | CAS No | Process | Degradation rate | Time | Method | Source |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | carbon dioxide generation | 62 % | 4 d | | ECHA |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | carbon dioxide generation | 38.8 % | 29 d | | ECHA |

12.3 Bioaccumulative potential

Data are not available.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



STARTOP (alle Strukturen)

Version number: GHS 5.0
Replaces version of: 02/23/2022 (GHS 4)

Revision
12/20/2022

| Bioaccumulative potential of components of the mixture | | | | |
|---|------------|------|-------------------------------------|----------|
| Name of substance | CAS No | BCF | Log KOW | BOD5/COD |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | 6.62 | 0.63 (pH value: 7, 10 °C) | |
| 2-Octyl-2H-isothiazol-3-on | 26530-20-1 | 2.92 | 2.61 (pH value: 7, 25 °C) | |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | 54 | ≥-0.34 – ≤0.63 (pH value: 7, 10 °C) | |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

| Endocrine disrupting chemicals (EDC) | | | | |
|--------------------------------------|----------|-------------------|-----------------------|-------------------|
| Name of substance | CAS No | Combined category | Human health category | Wildlife category |
| Terbutryn | 886-50-0 | CAT1 | CAT1 | CAT3b |

Legend

CAT1 Category 1 - evidence of endocrine disruption in at least one species using intact animals
CAT3b Category 3b - no evidence of endocrine disruption or no data available

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste codes/waste designations according to LoW

15 01 02: Plastic packaging

08 01 12: Waste paint and varnish other than those mentioned in 08 01 11

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Revision
12/20/2022

STARTOP (alle Strukturen)

Version number: GHS 5.0
Replaces version of: 02/23/2022 (GHS 4)

SECTION 14: Transport information

- | | |
|---|---|
| 14.1 UN number or ID number | not subject to transport regulations |
| 14.2 UN proper shipping name | not relevant |
| 14.3 Transport hazard class(es) | none |
| 14.4 Packing group | not assigned |
| 14.5 Environmental hazards | non-environmentally hazardous acc. to the dangerous goods regulations |
| 14.6 Special precautions for user | |
| There is no additional information. | |
| 14.7 Maritime transport in bulk according to IMO instruments | |
| The cargo is not intended to be carried in bulk. | |

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- Relevant provisions of the European Union (EU)**
- Restrictions according to REACH, Annex XVII**
none of the ingredients are listed
- List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list**
none of the ingredients are listed
- Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)**
none of the ingredients are listed
- Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)**
none of the ingredients are listed

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



STARTOP (alle Strukturen)

Version number: GHS 5.0
Replaces version of: 02/23/2022 (GHS 4)

Revision
12/20/2022

Water Framework Directive (WFD)

| List of pollutants (WFD) | | | |
|---|----------|-----------|---------|
| Name of substance | CAS No | Listed in | Remarks |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | | a) | |
| Terbutryn | 886-50-0 | b) | |
| Terbutryn | 886-50-0 | c) | |
| Terbutryn | | a) | |

Legend

- A) Indicative list of the main pollutants
B) List of priority substances in the field of water policy
C) Environmental Quality Standards for Priority Substances and certain other pollutants

Regulation on the marketing and use of explosives precursors

Not relevant.

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

National regulations (Austria)

Ordinance on combustible liquids (VbF) not assigned (flash point higher than 55 °C, water miscible)

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------------|---|
| Acute Tox. | Acute toxicity |
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) |
| Aquatic Acute | Hazardous to the aquatic environment - acute hazard |
| Aquatic Chronic | Hazardous to the aquatic environment - chronic hazard |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BOD | Biochemical Oxygen Demand |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



STARTOP (alle Strukturen)

Version number: GHS 5.0
Replaces version of: 02/23/2022 (GHS 4)

Revision
12/20/2022

| Abbr. | Descriptions of used abbreviations |
|------------|---|
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| COD | Chemical oxygen demand |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| Eye Dam. | Seriously damaging to the eye |
| Eye Irrit. | Irritant to the eye |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| GKV | Grenzwerteverordnung |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| log KOW | n-Octanol/water |
| LoW | List of Wastes |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



STARTOP (alle Strukturen)

Version number: GHS 5.0
Replaces version of: 02/23/2022 (GHS 4)

Revision
12/20/2022

| Abbr. | Descriptions of used abbreviations |
|-------------|--|
| M-factor | Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| Skin Sens. | Skin sensitisation |
| STEL | Short-term exposure limit |
| STOT RE | Specific target organ toxicity - repeated exposure |
| SVHC | Substance of Very High Concern |
| TWA | Time-weighted average |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



STARTOP (alle Strukturen)

Version number: GHS 5.0
Replaces version of: 02/23/2022 (GHS 4)

Revision
12/20/2022

| Code | Text |
|------|--|
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H310 | Fatal in contact with skin. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.